

Interpon®

Powder Coatings


Interpon D610



LIFESTYLE COLOURS FOR AUSTRALIA



INTERPON VIVICA™ PEARLESCENT RANGE



Vivica™ Snow Dust
Matt MA228A



Vivica™ Deep Sea
Matt MJ206A



Vivica™ Axis®
Matt ML208A



Vivica™ Citi®
Matt ML211A



Vivica™ Ultra Silver
Gloss MY070A



Vivica™ Nobel Silver
Satin MY119A



Vivica™ Palladium Silver
Satin MY184C



Vivica™ Stormfront
Matt ML249A



Vivica™ Anthracite
Satin MY144A



Vivica™ Charcoal Metallic
Gloss MM019A PCS 27



Vivica™ Black Onyx
Gloss MY042A



Vivica™ Luxe Bronze
Matt MY240A



Vivica™ Azurite Copper
Matt MF248A

INTERPON VIVICA™ TEXTURED PEARLESCENTS



Vivica™ Cyber
ML292A



Vivica™ Brilliance
ML277A




Vivica™ Asteroid
MN271A



Vivica™ Bass
MN297A

INTERPON ANODIC ORIGINALS



Anodic Off White
Matt MD227A



Anodic Clear
Matt MY221A



Anodic Champagne
Matt MY276A



Anodic Stellar Bronze
Matt MH249A




Anodic Bronze
Satin MY125A PCS 25




Anodic Endura Bronze
Matt MY248A


INTERPON CONTEMPORARY RANGE



Pearl White
Gloss MA078A PCS 01




White
Satin MA124A PCS 02




Off White
Matt MA226A



Shoji White
Satin MA160A




White Birch
Gloss MA057A PCS 04




Canola Cream
Gloss MA077A




Primrose
Gloss MD037A PCS 05



Oyster Grey
Matt ML258A PCS 14



Grey Nurse
Gloss MD040A



Light Grey
Gloss ML029A



Cream
Gloss MD018A



Magnolia
Gloss MD025A PCS 09



Rivergum
Gloss MD042A PCS 11



Barley
Gloss MD007A



Pottery
Satin MM175A PCS 07



Doeskin
Satin MD188A PCS 06



Almond Ivory
Gloss MD016A PCS 10



Stone Beige
Matt MD247A PCS 08



Hamersley Brown
Satin MM100A PCS 20



Claret
Satin MG142A PCS 22



Federation Red
Gloss MG001A PCS 21



Aubergine
Satin MH173A



Bright White
Gloss MA030A PCS 03



Admiralty Grey
Gloss MJ040A



Stromboli
Satin MK148A PCS 24



Wizard
Gloss MJ054A PCS 23



Wedgewood
Satin MJ180A



Navy
Gloss MJ011A



Periwinkle
Gloss ML073A



Transformer Grey
Gloss ML031A PCS 12



Arrowhead
Gloss ML066A PCS 17



Notre Dame
Gloss ML040A PCS 13



Excel™ Hawthorn Green
Gloss MK030A PCS 26



Excel™ Heritage Green
Gloss MK044A



APO Grey
Satin ML183A PCS 15



Olde Pewter
Satin ML175A PCS 19



Roseberry Grey
Gloss ML015A PCS 18



Excel™ Charcoal
Satin ML180A PCS 16



Custom Black
Matt MN248A PCS 28



Black
Satin MN152A PCS 29

INTERPON EXCEL™ COLORBOND® STEEL COORDINATES#



Excel™ Surfmist®
Matt MA236A
Satin MB136A



Excel™ Dune®
Matt ML252A
Satin MP152A



Excel™ Classic Cream™
Matt MD245A
Satin MU145A



Excel™ Paperbark®
Matt MD214A
Satin MU114A



Excel™ Headland®
Matt MG219A
Satin MV119A



Excel™ Manor Red®
Matt MG262A
Satin MV162A



Excel™ Shale Grey™
Matt ML284A
Satin MP184A



Excel™ Windspray®
Matt ML266A
Satin MP166A



Excel™ Woodland Grey®
Matt ML205A
Satin MP105A



Excel™ Ironstone®
Matt ML236A
Satin MP136A



Excel™ Blue Ridge®
Matt MJ221A
Satin MQ121A



Excel™ Deep Ocean®
Matt MJ201A
Satin MQ101A



Excel™ Pale Eucalypt®
Matt MK236A
Satin MS136A



Excel™ Wilderness®
Matt MK289A
Satin MS189A



Excel™ Bushland®
Matt MK203A
Satin MS103A



Excel™ Plantation®
Matt MK208A
Satin MS108A



Excel™ Cottage Green®
Matt MK274A
Satin MS174A



Excel™ Night Sky®
Matt MN231A
Satin MN121A

Colours displayed on this colour card are a guide only and have been matched as close as possible to **Interpon** production standards under daylight conditions. Due to the nature of the printing process some degree of colour and gloss level variation may occur. Where more than one finish is available product colour may vary. We recommend that you use production line prepared samples for final colour selection or approval. **Products displayed with a PCS code are manufactured to an industry standard colour specification.**



INTERPON CUSTOMER CARE TEAM

EAST COAST 1800 630 516
SOUTH AUSTRALIA 08 8359 4333
WESTERN AUSTRALIA 08 9494 7708
EMAIL salesoz@interpon.com
WEB www.interpon.com.au

Interpon D610



Bronze Global Warranty

Interpon D610

DURABLE POWDER COATINGS FOR RESIDENTIAL AND LIGHT COMMERCIAL PROJECTS

Practical, durable use of colour for award-winning designs

The latest lifestyle colour selections from **Interpon** Powder Coatings have been specifically chosen to meet with today's colour trends. Considering colour is a vital part of everyday living, the Lifestyle Colours for Australia collection allows you to create an environment that reflects your lifestyle and individuality.

Being combined with the comprehensive **Interpon D610** Bronze Global Warranty* that offers guaranteed colour and film performance on the building, makes the **Interpon D610** colour options perfect for residential and light commercial applications.

World's largest coatings company investing locally for over 25 years

Using the latest technologies to meet the specific conditions of the harsh Australian climate, Akzo Nobel develops powder coatings under the **Interpon** Powder Coatings brand that are the first choice for many leading aluminium manufacturers and fabricators in Australasia.

All powder coatings manufactured locally by Akzo Nobel are lead-free and do not contain TGIC or other solvents, creating products both friendly to the environment as well as for those working with them. We constantly strive to exceed international safety standards. As part of our commitment to environmentally sustainable development, Akzo Nobel have introduced Product Stewardship management systems into all businesses to assist us in the management of the environmental impact of our products throughout the development process and product lifecycle.

Interpon D610 Powder Coatings

Lifestyle Colours for Australia features **Interpon D610** powder coatings that give performance and durability for residential and light commercial applications, where:

- ▲ A Bronze Global Warranty* meets the needs of the client.
- ▲ The construction is no more than three levels above ground.
- ▲ The construction is more than 100 metres from any salt water or surf line.
- ▲ The colour used is displayed in the **Interpon D610** colour offer or alternatively where Akzo Nobel have agreed to issue a warranty for a specially matched colour.
- ▲ Meeting the performance criteria of AAMA2603-05, AS3715-2002, BS6496-1984 and Qualicoat Class 1.5 is required.

*Conditions apply to the **Interpon D610** Bronze Global Warranty. A sample copy of the warranty is available upon request.

INTERPON CUSTOMER CARE TEAM

East Coast 1800 630 516
South Australia 08 8359 4333
Western Australia 08 9494 7708

Email salesoz@interpon.com
Web www.interpon.com.au

Colour Freedom

The **Interpon D610** colour range gives you the freedom to create exactly the look you want using a variety of natural and subtle colours to blend into the environment, bold colours to enhance a modern lifestyle, colours to coordinate with COLORBOND® steel as well as a selection of textured finishes. The **Interpon** Anodic Originals are an excellent powder coating alternative to anodised aluminium, giving you modern good looks with the durability and finish of a powder coating.

For those times when only a specially designed colour will do, take advantage of the **Interpon MiniB™** option that gives you fast service on small batch made-to-order colours of your choice. Some conditions do apply such as minimum batch size, choice of colour and product so please contact the **Interpon** Customer Care Team for additional advice.

How to Specify

Once you have chosen **Interpon** Powder Coatings for your project, it is important that the correct product is used. Specifying **Interpon** Powder Coatings is easy. Simply nominate the product type, colour, finish and product code in your specification. For example, **Interpon D610** Anodic Natural Matt MY235A.

For the warranty to apply, the product must be applied by an **Interpon D** Approved Applicator. Certain locations also require that specific product types be used. Please contact the **Interpon** Customer Care Team for additional specification support and advice.



AKZO NOBEL



WORLD LEADER IN POWDER COATINGS

Broad product range to suit every project

In addition to the **Interpon D610** range, the **Interpon D2010**, **Interpon D2015 Ultriva™** and **Interpon D3000 Fluoromax®** ranges offer quality powder coating for a multitude of projects, including high-end residential, commercial and prestigious commercial projects. The *Product End Use Table* below helps you match suitability with project and includes the 'on building' performance warranty.

Product End Use Table

Product	Interpon D Global Warranty*	Film Integrity	Colour Integrity	Recommended End Use	Typical Specifications**	
Interpon D610	 10 Year	BRONZE	10 Year	7 Year	Residential and Light Commercial to 3 Levels; and more than 100 metres from any salt water or surf line	AAMA2603-05, AS3715-2002, BS6496-1984, Qualicoat Class 1.5
Interpon D2010	 10 Year	SILVER	10 Year	10 Year	Commercial Prominent and Coastal	Meets AAMA2604-05
Interpon D2015 Ultriva™	 15 Year	GOLD	15 Year	15 Year	Residential and Commercial. Prestigious and Coastal	Exceeds AAMA2604-05
Interpon D3000 Fluoromax®	 20 Year	PLATINUM	20 Year	20 Year	Commercial Monumental and Coastal	Meets AAMA2605-05

*Conditions apply to warranty. A sample copy of the warranty is available upon request. **Performance may vary slightly between individual products.



Disclaimer

Unless otherwise agreed by us in writing, any contract to purchase products referred to in this colour card and any advice which we give in connection with the supply of products are subject to our standard conditions of sale. Typical end uses for **Interpon** products are displayed in this publication using actual projects and representative images.

Interpon® and **Fluoromax®** are registered trademarks of Akzo Nobel International BV. **Ultriva™**, **Excel™**, **Vivica™** and **MiniB™** are trademarks of Akzo Nobel Pty Limited.

COLORBOND® and ® colour names are registered trademarks of BlueScope Steel Limited. ™* colour names are trademarks of BlueScope Steel Limited.

Over time performance may vary between COLORBOND® steel and **Interpon** Powder Coatings due to the different paint technologies used.

Interpon D Approved Applicators

Akzo Nobel has developed the **Interpon D** Approved Applicators Network to support the **Interpon D** Global Warranty Program. This is designed to make sure that the **Interpon** powder coating that you choose is applied correctly and meets **Interpon** Powder Coatings warranty requirements, as well as current local and international standards.

Care and Maintenance

Keeping your powder coated products free from pollutants and environmental contaminants retains their good looks and ensures long lasting performance. This is especially true where the surface is in a protected area that doesn't benefit from the natural cleaning properties of rainwater.

Regular washing with a soft brush and a diluted solution of mild liquid detergent, followed by a fresh water rinse, will remove substances such as airborne salts and pollutants that are detrimental to your powder coated products. In rural or normal urban environments cleaning should occur every 12 months. In areas of high pollution such as industrial or geothermal areas, cleaning should occur every three months. In particularly hazardous and coastal locations the frequency of cleaning should be increased to monthly.

It's important to note that harsh chemicals and solvents can be extremely harmful to a powder coated surface and their use is not recommended. Prior to the use of any cleaning agent a small non-visible area of the powder coated product should be tested in a non-visible area to ensure that no visual damage will occur, particularly with bright and deep colours. The use of any cleaning agent should be carried out in the shade and during cooler temperatures using a soft cloth and gentle wiping only.

Interpon is your partner in success

Interpon Powder Coatings has a range of materials and resources to help you succeed with your project – from the selection of product, coordination of colour, meeting of project specifications, choosing a suitable applicator, right through to ongoing care and maintenance advice. The **Interpon** Customer Care Team is ready and willing to assist with your next project.



Sales and Support Contacts

VICTORIA \ TASMANIA

Tel 1800 630 516 Fax 1800 650 786
Tel (03) 9313 4555 Fax (03) 9313 4525

NEW SOUTH WALES

Tel 1800 630 516 Fax 1800 650 786

QUEENSLAND

Tel 1800 630 516 Fax 1800 650 786

SOUTH AUSTRALIA

Tel (08) 8359 4333 Fax (08) 8359 4473

WESTERN AUSTRALIA

Tel (08) 9494 7708 Fax (08) 9494 7772

EMAIL salesoz@interpon.com

WEB www.interpon.com.au

Proudly Supplied by: